

Database Tuning

Query Tuning

Nikolaus Augsten

University of Salzburg
Department of Computer Science
Database Group

Unit 2 – WS 2015/16

Adapted from “Database Tuning” by Dennis Shasha and Philippe Bonnet.

Outline

- 1 Query Tuning
 - Query Processing
 - Problematic Queries
 - Minimizing DISTINCTs
 - Rewriting of Nested Queries

About Query Tuning

- Query tuning: rewrite a query to run faster!
- Other tuning approaches may have harmful side effects:
 - adding index
 - changing the schema
 - modify transaction length
- Query tuning: **only beneficial** side effects
 - first thing to do if query is slow!

Outline

- 1 Query Tuning
 - Query Processing
 - Problematic Queries
 - Minimizing DISTINCTs
 - Rewriting of Nested Queries

Steps in Query Processing

1. Parser

- input: SQL query
- output: relational algebra expression

2. Optimizer

- input: relational algebra expression
- output: query plan

3. Execution engine

- input: query plan
- output: query result

1. Parser

Parser:

- **Input:** SQL query from user
Example: `SELECT balance
FROM account
WHERE balance < 2500`
- **Output:** relational algebra expression
Example: $\sigma_{balance < 2500}(\Pi_{balance}(account))$
- Algebra expression for a given query **not unique!**
Example: The following relational algebra expressions are equivalent.
 - $\sigma_{balance < 2500}(\Pi_{balance}(account))$
 - $\Pi_{balance}(\sigma_{balance < 2500}(account))$

2. Optimizer

Optimizer:

- **Input:** relational algebra expression
Example: $\Pi_{balance}(\sigma_{balance < 2500}(account))$

- **Output:** query plan

Example:

$$\begin{array}{c} \Pi_{balance} \\ | \\ \sigma_{balance < 2500} \\ \text{use index 1} \\ | \\ account \end{array}$$

- query plan is selected in three steps:
 - equivalence transformation
 - annotation of the relational algebra expression
 - cost estimation for different query plans

A) Equivalence Transformation

- **Equivalence** of relational algebra expressions:
 - **equivalent** if they generate the same set of tuples on every legal database instance
 - **legal:** database satisfies all integrity constraints specified in the database schema
- **Equivalence rules:**
 - **transform** one relational algebra expression **into equivalent one**
 - similar to numeric algebra: $a + b = b + a$, $a(b + c) = ab + ac$, etc.
- **Why** producing equivalent expressions?
 - equivalent algebraic expressions give the **same result**
 - but usually the **execution time varies significantly**

Equivalence Rules – Examples

- Selection operations are **commutative**: $\sigma_{\theta_1}(\sigma_{\theta_2}(E)) = \sigma_{\theta_2}(\sigma_{\theta_1}(E))$
 - E is a relation (table)
 - θ_1 and θ_2 are conditions on attributes, e.g. $E.salary < 2500$
 - σ_{θ} selects all tuples that satisfy θ
- Selection **distributes** over the theta-join operation if θ_1 involves only attributes of E_1 and θ_2 only attributes of E_2 :

$$\sigma_{\theta_1 \wedge \theta_2}(E_1 \bowtie_{\theta} E_2) = (\sigma_{\theta_1}(E_1)) \bowtie_{\theta} (\sigma_{\theta_2}(E_2))$$

- \bowtie_{θ} is the theta-join; it pairs tuples from the input relations (e.g., E_1 and E_2) that satisfy condition θ , e.g. $E_1.accountID = E_2.ID$
- Natural join is **associative**: $(E_1 \bowtie E_2) \bowtie E_3 = E_1 \bowtie (E_2 \bowtie E_3)$
 - the join condition in the natural join is equality on all attributes of the two input relations that have the same name
- Many other rules can be found in Silberschatz et al., “Database System Concepts”


Equivalence Rules – Example Query

- Schema:
 - branch(branch-name, branch-city, assets)
 - account(account-number, branch-name, balance)
 - depositor(customer-name, account-number)
- Query:


```
SELECT customer-name
FROM branch, account, depositor
WHERE branch-city=Brooklyn AND
      balance < 1000 AND
      branch.branch-name = account.branch-name AND
      account.account-number = depositor.account-number
```

Equivalence Rules – Example Query

- Equivalent relational algebra expressions:




B) Annotation: Creating Query Plans

- Algebra expression is not a query plan.
- Additional decisions required:
 - which indexes to use, for example, for joins and selects?
 - which algorithms to use, for example, sort-merge vs. hash join?
 - materialize intermediate results or pipeline them?
 - etc.
- Each relational algebra expression can result in many query plans.
- Some query plans may be better than others!

Query Plan – Example

- query plan of our example query:
(account physically sorted by branch-name; index 1 on branch-city sorts records with same value of branch-city by branch-name)



C) Cost Estimation

- Which query plan is the fastest one?
- This is a very hard problem:
 - cost for each query plan can only be estimated
 - huge number of query plans may exist

Statistics for Cost Estimation

- Catalog information: database maintains statistics about relations
- Example statistics:
 - number of tuples per relation
 - number of blocks on disk per relation
 - number of distinct values per attribute
 - histogram of values per attribute
- Statistics used to estimate cost of operations, for example
 - selection size estimation
 - join size estimation
 - projection size estimation
- Problems:
 - cost can only be estimated
 - updating statistics is expensive, thus they are often out of date

Choosing the Cheapest Query Plan

- Problem: Estimating cost for all possible plans too expensive.
- Solutions:
 - pruning: stop early to evaluate a plan
 - heuristics: do not evaluate all plans
- Real databases use a combination:
 - Apply heuristics to choose promising query plans.
 - Choose cheapest plan among the promising plans using pruning.
- Examples of heuristics:
 - perform selections as early as possible
 - perform projections early
 - avoid Cartesian products

3. Execution Engine

The execution engine

- receives query plan from optimizer
- executes plan and returns query result to user

Query Tuning and Query Optimization

- Optimizers are not perfect:
 - transformations produce only a subset of all possible query plans
 - only a subset of possible annotations might be considered
 - cost of query plans can only be estimated
- Query Tuning: Make life easier for your query optimizer!

Outline

- 1 Query Tuning
 - Query Processing
 - Problematic Queries
 - Minimizing DISTINCTs
 - Rewriting of Nested Queries

Which Queries Should Be Rewritten?

- Rewrite queries that run “too slow”
- How to find these queries?
 - query issues far too many disc accesses, for example, point query scans an entire table
 - you look at the query plan and see that relevant indexes are not used

Running Example

- Employee(ssnum,name,manager,dept,salary,numfriends)
 - clustering index on ssnum
 - non-clustering index on name
 - non-clustering index on dept
 - keys: ssnum, name
- Students(ssnum,name,course,grade)
 - clustering index on ssnum
 - non-clustering index on name
 - keys: ssnum, name
- Techdept(dept,manager,location)
 - clustering index on dept
 - key: dept
 - manager may manage many departments
 - a location may contain many departments

DISTINCT

- How can DISTINCT hurt?
 - DISTINCT **forces sort** or other overhead.
 - If not necessary, it should be avoided.
- **Query:** Find employees who work in the information systems department.


```
SELECT DISTINCT ssnum
FROM Employee
WHERE dept = 'information systems'
```
- DISTINCT not necessary:
 - ssnum is a key of Employee, so it is also a key of a subset of Employee.
 - Note: Since an index is defined on ssnum, there is likely to be no overhead in this particular examples.

Non-Correlated Subqueries

- Many systems **handle subqueries inefficiently**.
- **Non-correlated:** attributes of outer query not used in inner query.
- **Query:**

```
SELECT ssnum
FROM Employee
WHERE dept IN (SELECT dept FROM Techdept)
```
- May lead to inefficient evaluation:
 - check for each employee whether they are in Techdept
 - index on Employee.dept not used!
- **Equivalent query:**

```
SELECT ssnum
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
```
- Efficient evaluation:
 - look up employees for each dept in Techdept
 - use index on Employee.dept

Temporary Tables

- **Temporary tables can hurt** in the following ways:
 - force operations to be performed in suboptimal order (optimizer often does a very good job!)
 - creating temporary tables i.s.s.¹ causes catalog update – possible concurrency control bottleneck
 - system may miss opportunity to use index
- **Temporary tables are good:**
 - to rewrite complicated correlated subqueries
 - to avoid ORDER BYs and scans in specific cases (see example)

¹in some systems

Unnecessary Temporary Table

- **Query:** Find all IT department employees who earn more than 40000.

```
SELECT * INTO Temp
FROM Employee
WHERE salary > 40000

SELECT ssnnum
FROM Temp
WHERE Temp.dept = 'IT'
```

- **Inefficient SQL:**
 - index on dept can not be used
 - overhead to create Temp table (materialization vs. pipelining)

- **Efficient SQL:**

```
SELECT ssnnum
FROM Employee
WHERE Employee.dept = 'IT'
AND salary > 40000
```

Joins: Use Clustering Indexes and Numeric Values

- **Query:** Find all students who are also employees.

- **Inefficient SQL:**

```
SELECT Employee.ssnnum
FROM Employee, Student
WHERE Employee.name = Student.name
```

- **Efficient SQL:**

```
SELECT Employee.ssnnum
FROM Employee, Student
WHERE Employee.ssnnum = Student.ssnnum
```

- **Benefits:**

- Join on two clustering indexes allows merge join (fast!).
- Numerical equality is faster evaluated than string equality.

Don't use HAVING where WHERE is enough

- **Query:** Find average salary of the IT department.

- **Inefficient SQL:**

```
SELECT AVG(salary) as avgsalary, dept
FROM Employee
GROUP BY dept
HAVING dept = 'IT'
```

- **Problem:** May first compute average for employees of all departments.
- **Efficient SQL:** Compute average only for relevant employees.

```
SELECT AVG(salary) as avgsalary, dept
FROM Employee
WHERE dept = 'IT'
GROUP BY dept
```

Use Views with Care (I/II)

- **Views:** macros for queries
 - queries look simpler
 - but are never faster and sometimes slower

- **Creating a view:**

```
CREATE VIEW Techlocation
AS SELECT ssnnum, Techdept.dept, location
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
```

- **Using the view:**

```
SELECT location
FROM Techlocation
WHERE ssnnum = 452354786
```

- **System expands view and executes:**

```
SELECT location
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
AND ssnnum = 452354786
```

Use Views with Care (II/II)

- **Query:** Get the department name for the employee with social security number 452354786 (who works in a technical department).

- Example of an **inefficient SQL**:

```
SELECT dept
FROM Techlocation
WHERE ssnum = 452354786
```

- This SQL **expands to**:

```
SELECT Techdept.dept
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
AND ssnum = 452354786
```

- But there is a **more efficient SQL** (no join!) doing the same thing:

```
SELECT dept
FROM Employee
WHERE ssnum = 452354786
```

System Peculiarity: Indexes and OR

- **Some systems** never use indexes when conditions are OR-connected.
- **Query:** Find employees with name Smith or who are in the acquisitions department.

```
SELECT Employee.ssnum
FROM Employee
WHERE Employee.name = 'Smith'
OR Employee.dept = 'acquisitions'
```

- **Fix:** use UNION instead of OR

```
SELECT Employee.ssnum
FROM Employee
WHERE Employee.name = 'Smith'

UNION


SELECT Employee.ssnum
FROM Employee
WHERE Employee.dept = 'acquisitions'
```

System Peculiarity: Order in FROM clause

- Order in FROM clause **should be irrelevant**.
- **However:** For long joins (e.g., more than 8 tables) and in some systems the order matters.
- **How to figure out?** Check query plan!

Experimental Evaluation

Throughput increase in percent.



Running Example: 100k employees, 100k students, 10 technical departments

Outline

- 1 Query Tuning
 - Query Processing
 - Problematic Queries
 - Minimizing DISTINCTs
 - Rewriting of Nested Queries

About Query Tuning

- **DISTINCT** removes duplicate tuples from the query result.
- **Goal:** avoid DISTINCT if possible!
- **How to know** if DISTINCT is necessary?
- We use the notions of
 - **privileged** tables and
 - **reachability**
 to decide whether there can be duplicates in the query result.

Privileged Tables

- **Privileged table:** Attributes returned by SELECT clause contain a key.
- **Example:** Get the social security numbers of all employees that work in a technical department.


```
SELECT ssnnum
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
```
- **Employee** is a **privileged** table:
 - the SELECT clause projects the attribute ssnnum
 - ssnnum is a key of Employee

Reachability

- R and S are tables
- R reaches S if
 - R and S are joined on equality and
 - the join attribute in R is a key of R
- **Intuition:** A tuple from S is joined to at most one tuple from R .
- Reachability is **transitive:** if A reaches B and B reaches C then A reaches C .

Reachability – Example

- **Previous Example:** Get the social security numbers of all employees that work in a technical department.

```
SELECT ssnnum
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
```

- Techdept **reaches** Employee:
 - Techdept and Employee are joined on equality
 - dept is a key of Techdept

No-Duplicate Guarantee

- A **query returns no duplicates** if the following conditions hold:
 - Every attribute in the SELECT clause is from a privileged table.
 - Every unprivileged table reaches at least one privileged one.

No-Duplicate Guarantee – Examples

- This query may return duplicates:

```
SELECT ssnnum
FROM Employee, Techdept
WHERE Employee.manager = Techdept.manager
```

- Reason:
 - manager is not a key of Techdept
 - thus Techdept does not reach privileged table Employee

No-Duplicate Guarantee – Examples

- This query returns **no** duplicates:

```
SELECT ssnnum, Techdept.dept
FROM Employee, Techdept
WHERE Employee.manager = Techdept.manager
```

- Reason: different from previous example,
 - both Techdept and Employee are privileged table

No-Duplicate Guarantee – Examples

- This query also returns **no** duplicates:

```
SELECT ssnum, Techdept.dept
FROM Employee, Techdept
```
- Reason: as before,
 - both Techdept and Employee are privileged table

No-Duplicate Guarantee – Examples

- This query returns **no** duplicates:
 (even if Student.name is not a key)

```
SELECT Student.ssnum
FROM Student, Employee, Techdept
WHERE Student.name = Employee.name
AND Employee.dept = Techdept.dept
```
- Reason:
 - join attribute Employee.name is a key, thus Employee reaches privileged table Student
 - join attribute Techdept.dept is a key thus Techdept reaches Employee
 - **transitivity**: Techdept reaches Employee and Employee reaches Student, thus Techdept reaches Student

No-Duplicate Guarantee – Examples

- This query returns duplicates:
 (even if Student.name is a key)

```
SELECT Student.ssnum
FROM Student, Employee, Techdept
WHERE Student.name = Employee.name
AND Employee.manager = Techdept.manager
```
- Reason:
 - join attribute Techdept.manager is not key
 - thus Techdept does not reach Employee (and Student)

No-Duplicate Guarantee – Examples

- Try the example queries on the following instance (keys underlined):
 - Employee(ssnum, name, manager, dept)

ssnum	name	manager	dept
1	Peter	John	IT
2	Rose	Mary	Development
 - Techdept(dept, manager)

dept	manager
IT	John
Development	Mary
Production	John
 - Students(ssnum, name)

ssnum	name
5	Peter
6	Peter

Outline

- 1 Query Tuning
 - Query Processing
 - Problematic Queries
 - Minimizing DISTINCTs
 - Rewriting of Nested Queries

Types of Nested Queries

- **Uncorrelated** subqueries
 - **with aggregates** in the inner query


```
SELECT ssnun
FROM Employee
WHERE salary > (SELECT AVG(salary) FROM Employee)
```
 - **without aggregates** in the inner query


```
SELECT ssnun
FROM Employee
WHERE dept IN (SELECT dept FROM Techdept)
```

Types of Nested Queries

- **Correlated** subqueries
 - **with aggregates** in the inner query


```
SELECT ssnun
FROM Employee e1, Techdept
WHERE salary = (SELECT AVG(e2.salary)
                FROM Employee e2, Techdept
                WHERE e2.dept = e1.dept
                AND e2.dept = Techdept.dept)
```
 - **without aggregates** in the inner query (uncommon)

Uncorrelated Subquery with Aggregates

- **Uncorrelated** subqueries **with aggregate** in the inner query:


```
SELECT ssnun
FROM Employee
WHERE salary > (SELECT AVG(salary) FROM Employee)
```
- **Not problematic:**
 - Result of inner query is a single value (constant).
 - Most systems will first execute the inner query and then substitute it with the resulting constant.

Uncorrelated Subquery without Aggregates

- **Uncorrelated** subqueries **without aggregate** in the inner query:

```
SELECT ssnun
FROM Employee
WHERE dept IN (SELECT dept FROM Techdept)
```

- Some systems **might not use index** on `Employee.dept`.

- **Unnested** query:

```
SELECT ssnun
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
```

Uncorrelated Subquery without Aggregates

- **Unnesting strategy:**

1. Combine the arguments of the two FROM clauses.
2. AND together the WHERE clauses.
3. Replace “outer.attr1 IN (SELECT inner.attr2 ...)” with “outer.attr1 = inner.attr2” in the WHERE clause.
4. Retain the SELECT clause from the outer block.

- Strategy works for nesting of **any depth**.

- **Note:** If inner table **does not reach** outer table in **new join condition**, new duplicates may appear.

Duplicates in Unnested Queries – Examples

- **Nested** query:

```
SELECT AVG(salary)
FROM Employee
WHERE dept IN (SELECT dept FROM Techdept)
```

- **Unnested** query:

```
SELECT AVG(salary)
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
```

- Unnesting is **correct**:

- Techdept reaches Employee, thus **no duplicates** are introduced
- each salary appears once in average

Duplicates in Unnested Queries – Examples

- **Nested** query:

```
SELECT AVG(salary)
FROM Employee
WHERE manager IN (SELECT manager FROM Techdept)
```

- **Unnested** query:

```
SELECT AVG(salary)
FROM Employee, Techdept
WHERE Employee.manager = Techdept.manager
```

- Unnesting is **not correct**:

- Techdept does not reach Employee, thus **duplicates possible**
- some salaries might appear multiple times in the average

- **Note:** Duplicates do not matter for aggregates like MIN and MAX.

Duplicates in Unnested Queries – Examples

- Solutions for following query?

```
SELECT AVG(salary)
FROM Employee
WHERE manager IN (SELECT manager FROM Techdept)
```

A) Derived table:

```
SELECT AVG(salary)
FROM Employee, (SELECT DISTINCT manager FROM Techdept) AS T
WHERE Employee.manager = T.manager
```

B) Temporary table:

```
SELECT DISTINCT manager INTO Temp
FROM Techdept
```

```
SELECT AVG(salary)
FROM Employee, Temp
WHERE Employee.manager = Temp.manager
```

Correlated Subqueries with Aggregates

- Correlated subquery with aggregates in the inner query:

```
SELECT snum
FROM Employee e1, Techdept
WHERE salary = (SELECT AVG(e2.salary)
                FROM Employee e2, Techdept
                WHERE e2.dept = e1.dept
                AND e2.dept = Techdept.dept)
```

- Inefficient in many systems.

Strategy for Rewriting Query

```
SELECT snum
FROM Employee e1, Techdept
WHERE salary = (SELECT AVG(e2.salary)
                FROM Employee e2, Techdept
                WHERE e2.dept = e1.dept
                AND e2.dept = Techdept.dept)
```

1. Create temporary table:

- GROUP BY on correlated attribute of inner query (must be equality!).
- Use uncorrelated qualifications of inner query for WHERE clause.

```
SELECT AVG(salary) as avsalary, Employee.dept INTO Temp
FROM Employee e2, Techdept
WHERE e2.dept = Techdept.dept
GROUP BY e2.dept
```

Strategy for Rewriting Query

```
SELECT snum
FROM Employee e1, Techdept
WHERE salary = (SELECT AVG(e2.salary) ... WHERE e2.dept = e1.dept ...)
SELECT AVG(salary) as avsalary, Employee.dept INTO Temp
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
GROUP BY Employee.dept
```

2. Join temporary table with outer query:

- Condition on the grouped attribute replaces correlation condition.
- Depending attribute of grouping replaces subquery.
- All other qualifications of outer query remain (none in example).

```
SELECT snum
FROM Employee e1, Temp
WHERE salary = avsalary
AND e1.dept = Temp.dept;
```

The Count Bug

- **Correlated** subquery with **COUNT** aggregate in the inner query:

```
SELECT ssnnum
FROM Employee e1, Techdept
WHERE numfriends = COUNT(SELECT e2.ssnnum
                          FROM Employee e2, Techdept
                          WHERE e2.dept = e1.dept
                          AND e2.dept = Techdept.dept)
```

- **Rewrite** with temporary table:

```
SELECT COUNT(ssnum) as numcolleagues, Employee.dept INTO Temp
FROM Employee, Techdept
WHERE Employee.dept = Techdept.dept
GROUP BY Employee.dept

SELECT ssnnum
FROM Employee, Temp
WHERE numfriends = numcolleagues
AND Employee.dept = Temp.dept;
```

- What is going wrong?

The Count Bug

- Consider for example an employee Jane:
 - Jane is not in a technical department (Techdept).
 - Jane has no friends (Employee.numfriends = 0)
- **Original** (nested) query:
 - since Jane is not in a technical department, inner query is empty
 - but COUNT(\emptyset)=0, thus **Jane is in the result set!**
- **Rewritten** query with temporary table:
 - Jane not in a technical department and does not survive the join
 - thus **Jane is not in the result set**