

Database Tuning

Concurrency Tuning

Nikolaus Augsten

nikolaus.augsten@sbg.ac.at
Department of Computer Sciences
University of Salzburg



Sommersemester 2019

Version March 1, 2019

Adapted from “Database Tuning” by Dennis Shasha and Philippe Bonnet.

Outline

- 1 Concurrency Tuning
 - Introduction to Transactions
 - Lock Tuning
 - Weaken Isolation Guarantees
 - Transaction Chopping

What is a Transaction?¹

- A **transaction** is a unit of program execution that accesses and possibly updates various data items.
- **Example:** transfer \$50 from account A to account B
 1. $R(A)$
 2. $A \leftarrow A - 50$
 3. $W(A)$
 4. $R(B)$
 5. $B \leftarrow B + 50$
 6. $W(B)$
- Two **main issues**:
 1. concurrent execution of multiple transactions
 2. failures of various kind (e.g., hardware failure, system crash)

¹ Slides of section “Introduction to Transactions” are adapted from the slides “Database System Concepts”, 6th Ed., Silberschatz, Korth, and Sudarshan

ACID Properties

- Database system must guarantee **ACID for transactions**:
 - **Atomicity**: either all operations of the transaction are executed or none
 - **Consistency**: execution of a transaction in isolation preserves the consistency of the database
 - **Isolation**: although multiple transactions may execute concurrently, each transaction must be unaware of the other concurrent transactions.
 - **Durability**: After a transaction completes successfully, changes to the database persist even in case of system failure.

Atomicity

- **Example:** transfer \$50 from account A to account B
 1. $R(A)$
 2. $A \leftarrow A - 50$
 3. $W(A)$
 4. $R(B)$
 5. $B \leftarrow B + 50$
 6. $W(B)$
- What if **failure** (hardware or software) after step 3?
 - money is lost
 - database is inconsistent
- **Atomicity:**
 - either all operations or none
 - updates of partially executed transactions not reflected in database

Consistency

- **Example:** transfer \$50 from account A to account B
 1. $R(A)$
 2. $A \leftarrow A - 50$
 3. $W(A)$
 4. $R(B)$
 5. $B \leftarrow B + 50$
 6. $W(B)$
- **Consistency in example:** sum $A + B$ must be unchanged
- **Consistency in general:**
 - explicit integrity constraints (e.g., foreign key)
 - implicit integrity constraints (e.g., sum of all account balances of a bank branch must be equal to branch balance)
- **Transaction:**
 - must see consistent database
 - during transaction inconsistent state allowed
 - after completion database must be consistent again

Isolation – Motivating Example

- **Example:** transfer \$50 from account A to account B
 1. $R(A)$
 2. $A \leftarrow A - 50$
 3. $W(A)$
 4. $R(B)$
 5. $B \leftarrow B + 50$
 6. $W(B)$
- Imagine second transaction T_2 :
 - $T_2 : R(A), R(B), \text{print}(A + B)$
 - T_2 is executed between steps 3 and 4
 - T_2 sees an inconsistent database and gives wrong result

Isolation

- **Trivial isolation**: run transactions serially
- **Isolation** for concurrent transactions: For every pair of transactions T_i and T_j , it appears to T_i as if either T_j finished execution before T_i started or T_j started execution after T_i finished.
- **Schedule**:
 - specifies the **chronological order** of a sequence of instructions from various transactions
 - **equivalent schedules** result in identical databases if they start with identical databases
- **Serializable** schedule:
 - equivalent to some serial schedule
 - serializable schedule of T_1 and T_2 is either equivalent to T_1, T_2 or T_2, T_1

Durability

- When a transaction is done it **commits**.
- **Example**: transaction commits too early
 - transaction writes *A*, then commits
 - *A* is written to the disk buffer
 - then system crashes
 - value of *A* is lost
- **Durability**: After a transaction has committed, the changes to the database persist even in case of system failure.
- **Commit** only after all changes are permanent:
 - either written to log file or directly to database
 - database must recover in case of a crash

Locks

- A **lock** is a mechanism to **control concurrency** on a data item.
- Two types of locks on a data item A :
 - **exclusive** – $xL(A)$: data item A can be both read and written
 - **shared** – $sL(A)$: data item A can only be read.
- **Lock request** are made to concurrency control manager.
- Transaction is **blocked** until lock is granted.
- **Unlock A** – $uL(A)$: release the lock on a data item A

Lock Compatibility

- Lock compatibility matrix:

$T_1 \downarrow T_2 \rightarrow$	shared	exclusive
shared	true	false
exclusive	false	false

- T_1 holds shared lock on A :
 - shared lock is granted to T_2
 - exclusive lock is not granted to T_2
- T_2 holds exclusive lock on A :
 - shared lock is not granted to T_2
 - exclusive lock is not granted to T_2
- Shared locks can be shared by any number of transactions.

Locking Protocol

- Example transaction T_2 with locking:
 1. $sL(A), R(A), uL(A)$
 2. $sL(B), R(B), uL(B)$
 3. $print(A + B)$
- T_2 uses locking, but is not serializable
 - A and/or B could be updated between steps 1 and 2
 - printed sum may be wrong
- Locking protocol:
 - set of rules followed by all transactions while requesting/releasing locks
 - locking protocol restricts the set of possible schedules

Pitfalls of Locking Protocols – Deadlock

- **Example:** two concurrent money transfers
 - T_1 : $R(A), A \leftarrow A + 10, R(B), B \leftarrow B - 10, W(A), W(B)$
 - T_2 : $R(B), B \leftarrow B + 50, R(A), A \leftarrow A - 50, W(A), W(B)$
 - possible concurrent scenario with locks:
 $T_1.xL(A), T_1.R(A), T_2.xL(B), T_2.R(B), T_2.xL(A), T_1.xL(B), \dots$
 - T_1 and T_2 block each other – no progress possible
- **Deadlock:** situation when transactions block each other
- **Handling** deadlocks:
 - one of the transactions must be rolled back (i.e., undone)
 - rolled back transaction releases locks

Pitfalls of Locking Protocols – Starvation

- **Starvation:** transaction continues to wait for lock
- **Examples:**
 - the same transaction is repeatedly rolled back due to deadlocks
 - a transaction continues to wait for an exclusive lock on an item while a sequence of other transactions are granted shared locks
- Well-designed concurrency manager **avoids starvation**.

Two-Phase Locking

- Protocol that **guarantees serializability**.
- **Phase 1: growing phase**
 - transaction may obtain locks
 - transaction may not release locks
- **Phase 2: shrinking phase**
 - transaction may release locks
 - transaction may not obtain locks

Two-Phase Locking – Example

- **Example:** two concurrent money transfers
 - T_1 : $R(A), A \leftarrow A + 10, R(B), B \leftarrow B - 10, W(A), W(B)$
 - T_2 : $R(A), A \leftarrow A - 50, R(B), B \leftarrow B + 50, W(A), W(B)$
- Possible **two-phase locking schedule**:
 1. T_1 : $xL(A), xL(B), R(A), R(B), W(A \leftarrow A + 10), uL(A)$
 2. T_2 : $xL(A), R(A), xL(B)$ (*wait*)
 3. T_1 : $W(B \leftarrow B - 10), uL(B)$
 4. T_2 : $R(B), W(A \leftarrow A - 50), W(B \leftarrow B + 50), uL(A), uL(B)$
- **Equivalent serial schedule:** T_1, T_2

Outline

- 1 **Concurrency Tuning**
 - Introduction to Transactions
 - **Lock Tuning**
 - Weaken Isolation Guarantees
 - Transaction Chopping

Concurrency Tuning Goals

- Performance goals:
 - reduce blocking (one transaction waits for another to release its locks)
 - avoid deadlocks and rollbacks
- Correctness goals:
 - serializability: each transaction appears to execute in isolation
 - note: correctness of serial execution must be ensured by the programmer!

Trade-off between performance and correctness!

Ideal Transaction

- Acquires **few locks**.
- Favors **shared locks** over exclusive locks.
 - only exclusive locks create conflicts
- Acquires locks with **fine granularity**.
 - granularities: table, page, row
 - reduces the scope of each conflict
- Holds locks for a **short time**.
 - reduce waiting time

Lock Tuning

1. Eliminate unnecessary locks
2. Control granularity of locking
3. Circumvent hot spots

1. Eliminate Unnecessary Locks

- Lock overhead:
 - memory: store lock control blocks
 - CPU: process lock requests
- Locks not necessary if
 - only one transaction runs at a time, e.g., while loading the database
 - all transactions are read-only, e.g., decision support queries on archival data

2. Control Granularity of Locking

- Locks can be defined at **different granularities**:
 - row-level locking (also: record-level locking)
 - page-level locking
 - table-level locking
- **Fine-grained** locking (row-level):
 - good for short online-transactions
 - each transaction accesses only a few records
- **Coarse-grained** locking (table-level):
 - avoid blocking long transactions
 - avoid deadlocks
 - reduced locking overhead

Lock Escalation

- **Lock escalation:** (SQL Server and DB2 UDB)
 - automatically upgrades row-level locks into table locks if number of row-level locks reaches predefined threshold
 - lock escalation can lead to deadlock
- Oracle does not implement lock escalation.

Granularity Tuning Parameters

1. Explicit control of the granularity:

- within transaction: statement within transaction explicitly requests a table-level lock, shared or exclusive (Oracle, DB2)
- across transactions: lock granularity is defined for each table; all transactions accessing this table use the same granularity (SQL Server)

2. Escalation point setting:

- lock is escalated if number of row-level locks exceeds threshold (escalation point)
- escalation point can be set by database administrator
- rule of thumb: high enough to prevent escalation for short online transactions


3. Lock table size:

- maximum overall number of locks can be limited
- if the lock table is full, system will be forced to escalate

Overhead of Table vs. Row Locking

- Experimental setting:
 - `accounts(number,branchnum,balance)`
 - clustered index on account number
 - 100,000 rows
 - SQL Server 7, DB2 v7.1 and Oracle 8i on Windows 2000
 - lock escalation switched off
- Queries: (no concurrent transactions!)
 - 100,000 updates (1 query)
example: `update accounts set balance=balance*1.05`
 - 100,000 inserts (100,000 queries)
example: `insert into accounts values(713,15,2296.12)`

Overhead of Table vs. Row Locking




- Row locking (100k rows must be locked) should be more expensive than table locking (1 table must be locked).
- SQL Server, Oracle: recovery overhead (logging changes) hides difference in locking overhead
- DB2: low overhead due to logical logging of updates, difference in locking overhead visible

Experiment: Fine-Grained Locking


- Experimental setting:
 - table with bank accounts
 - clustered index on account number
 - long transaction (summation of account balances)
 - multiple short transactions (debit/credit transfers)
 - parameter: number of concurrent transactions
 - SQL Server 7, DB2 v7.1 and Oracle 8i on Windows 2000
 - lock escalation switched off

Experiment: Fine-Grained Locking




- Serializability with row locking forces key range locks.
- Key range locks are performed in clustered index.
- SQL Server: Clustered index is sparse, thus whole pages are locked.
- Row-level locking only slightly increases concurrency.
- Table-locking prevents rollback for summation query.

Experiment: Fine-Grained Locking



- Row locking slightly better than table locking.
- DB2 automatically selects locking granularity if not forced manually.
 - index scan in this experiment leads to row-level locking
 - table scan would lead to table-level locking

Experiment: Fine-Grained Locking



- Oracle uses snapshot isolation: summation query not in conflict with short transactions.
- Table locking: short transactions must wait.

3. Circumvent Hot Spots


- **Hot spot:** items that are
 - accessed by many transactions
 - updated at least by some transactions
- **Circumventing** hot spots:
 - access hot spot as late as possible in transaction (reduces waiting time for other transactions since locks are kept to the end of a transaction¹)
 - use partitioning, e.g., multiple free lists
 - use special database facilities, e.g., latch on counter

¹In 2-phase locking, the locks need only be held till the end of the growing phase; if the locks are held till the end of the transaction, the resulting schedule is *cascadeless* (in addition to *serializable*), which is desirable.

Partitioning Example: Distributed Insertions

- **Insert contention:** last table page is bottleneck
 - appending data to heap file (e.g., log files)
 - insert records with sequential keys into table with B^+ -tree
- **Solutions:**
 - use clustered hash index
 - if only B^+ tree available: use hashed insertion time as key
 - use row locking instead of page locking
 - if reads are always table scans: define many insertion points (composite index on random integer (1.. k) and key attribute)


Experiment: Multiple Insertion Points and Page Locking



- Sequential: clustered B^+ -tree index and key in insert order
- Non-sequential: clustered B^+ -tree, key independent of insert order
- Hashing: composite index on random integer ($1..k$) and key attribute
- Page locking and sequential keys: insert contention!

SQL Server 7 on Windows 2000

Experiment: Multiple Insertion Points and Row Locking



- No insert contention with row locking.

SQL Server 7 on Windows 2000

Partitioning Example: DDL Statements and Catalog

- Catalog: information about tables, e.g., names, column widths
- Data definition language (DDL) statements must access catalog
- Catalog can become hot spot
- Partition in time: avoid DDL statements during heavy system activity


Partitioning Example: Free Lists

- **Lock contention** on free list:
 - free list: list of unused database buffer pages
 - a thread that needs a free page locks the free list
 - during the lock no other thread can get a free page
- **Solution:** Logical partitioning
 - create several free lists
 - each free list contains pointers to a portion of free pages
 - a thread that needs a free page randomly selects a list
 - with n free list the load per list is reduced by factor $1/n$

System Facilities: Latch on Counter

- **Example:** concurrent inserts with unique identifier
 - identifier is created by a counter
 - 2-phase locking: lock on counter is held until transaction ends
 - counter becomes hot spot
- Databases allow to hold a **latch on the counter**.
 - latch: exclusive lock that is held only during access
 - eliminates bottleneck but may introduce gaps in counter values
- **Counter gaps** with latches:
 - transaction T_1 increments counter to i
 - transaction T_2 increments counter to $i + 1$
 - if T_1 aborts now, then no data item has identifier i


Experiment: Latch vs. Lock on Counter



- System (=latch): use system facility for generating counter values (“identity” in SQL Server)
- Ad hoc (=lock): increment a counter value in an ancillary table

SQL Server 7 on Windows 2000

Experiment: Latch vs. Lock on Counter



- System (=latch): use system facility for generating counter values (“sequence” in Oracle)
- Ad hoc (=lock): increment a counter value in an ancillary table

Oracle 8i EE on Windows 2000

Outline

- 1 **Concurrency Tuning**
 - Introduction to Transactions
 - Lock Tuning
 - **Weaken Isolation Guarantees**
 - Transaction Chopping

Undesirable Phenomena of Concurrent Transactions

- Dirty read

- transaction reads data written by concurrent uncommitted transaction
- problem: read may return a value that was never in the database because the writing transaction aborted

- Non-repeatable read

- different reads on the same item within a single transaction give different results (caused by other transactions)
- e.g., concurrent transactions $T_1: x = R(A), y = R(A), z = y - x$ and $T_2: W(A = 2 * A)$, then z can be either zero or the initial value of A (should be zero!)

- Phantom read

- repeating the same query later in the transaction gives a different set of result tuples
- other transactions can insert new tuples during a scan
- e.g., “Q: get accounts with *balance* > 1000” gives two tuples the first time, then a new account with *balance* > 1000 is inserted by an other transaction; the second time Q gives three tuples


Isolation Guarantees (SQL Standard)

- **Read uncommitted**: dirty, non-repeatable, phantom
 - read locks released after read; write locks downgraded to read locks after write, downgraded locks released according to 2-phase locking
 - reads may access uncommitted data
 - writes do not overwrite uncommitted data
- **Read committed**: non-repeatable, phantom
 - read locks released after read, write locks according to (strict) 2-phase locking
 - reads can access only committed data
 - **cursor stability**: in addition, read is repeatable within single SELECT
- **Repeatable read**: phantom
 - (strict) 2-phase locking, but no range locks
 - phantom reads possible
- **Serializable**:
 - none of the undesired phenomenas can happen
 - enforced by (strict) 2-phase locking with range locks

Experiment: Read Commit vs. Serializable


- **Experimental setup:**
 - T1: summation query: `SELECT SUM(balance) FROM Accounts`
 - T2: money transfers between accounts
 - row level locking
- **Parameter:** number of concurrent threads
- **Measure:**
 - percentage of correct answers (over multiple tries)
 - measure throughput

Experiment: Read Commit vs. Serializable



- **Read committed** allows sum of account balances after debit operation has taken place but before corresponding credit operation is performed – incorrect sum!

Experiment: Read Commit vs. Serializable



- Read committed: faster, but incorrect answers
- Serializable: always correct, but lower throughput

When To Weaken Isolation Guarantees?

- Query does not need exact answer (e.g., statistical queries)
 - example: count all accounts with balance > \$1000.
 - read committed is enough!
- Transactions with human interaction
 - example: flight reservation system
 - price for serializability too high!

Example: Flight Reservation System

- Reservation involves **three steps**:
 1. retrieve list of available seats
 2. let customer decide
 3. secure seat
- **Single transaction**:
 - seats are locked while customer decides
 - all other customers are blocked!
- **Two transactions**: (1) retrieve list, (2) secure seat
 - seat might already be taken when customer wants to secure it
 - more tolerable than blocking all other customers

Snapshot Isolation for Long Reads – The Problem

- Consider the following **scenario in a bank**:
 - read-only query Q : `SELECT SUM(deposit) FROM Accounts`
 - update transaction T : money transfer between customers A and B
- **2-Phase locking inefficient** for long read-only queries:
 - read-only queries hold lock on all read items
 - in our example, T must wait for Q to finish (Q blocks T)
 - deadlocks might occur:
 $T.xL(A)$, $Q.sL(B)$, $Q.sL(A)$ - wait, $T.xL(B)$ - wait
- **Read-committed** may lead to **incorrect** results:
 - Before transactions: $A = 50$, $B = 30$
 - Q : $sL(A)$, $R(A) = 50$, $uL(A)$
 - T : $xL(A)$, $xL(B)$, $W(A \leftarrow A + 20)$, $W(B \leftarrow B - 20)$, $uL(A)$, $uL(B)$
 - Q : $sL(B)$, $R(B) = 10$, $uL(B)$
 - sum computed by Q for $A + B$ is 60 (instead of 80)

Snapshot Isolation for Long Reads

- **Snapshot isolation:** correct read-only queries without locking
 - read-only query Q with snapshot isolation
 - remember old values of all data items that change after Q starts
 - Q sees the values of the data items when Q started
- **Example:** bank scenario with snapshot isolation
 - Before transactions: $A = 50, B = 30$
 - $Q : R(A) = 50$
 - $T : xL(A), xL(B), W(A \leftarrow A + 20), W(B \leftarrow B - 20), uL(A), uL(B)$
 - $Q : R(B) = 30$ (read old value)
 - sum computed by Q for $A + B$ is 80 as it should be

Concurrency in Oracle

- “Read committed” in Oracle means:
 - non-repeatable and phantom reads are possible at the transaction level, but not within a single SQL statement
 - update conflict: if row is already updated, wait for updating transaction to commit, then update new row version (or ignore row if deleted) – no rollback!
 - possibly inconsistent state: transaction sees updates of other transaction only on the rows that itself updates
- “Serializable” in Oracle means:
 - phenomena: none of the three undesired phenomena can happen
 - update conflict: if two transactions update the same item, the transaction that updates it later must abort – rollback!
 - not serializable: snapshot isolation does not guarantee full serializability (skew writes)
- Similar in PostgreSQL.

Skew Writes: Snapshot Isolation Not Serializable

- **Example:** $A = 3, B = 17$
 - $T1 : A \leftarrow B$
 - $T2 : B \leftarrow A$
- **Serial execution:**
 - order $T1, T2$: $A = B = 17$
 - order $T2, T1$: $A = B = 3$
- **Snapshot isolation:**
 - $T1 : R(B) = 17$
 - $T2 : R(A) = 3$
 - $T1 : W(A \leftarrow 17)$
 - $T2 : W(B \leftarrow 3)$
 - result: $A = 17, B = 3$ (different from serial execution)

Snapshot Isolation

- **Advantages:** (assuming “serializable” of Oracle)
 - readers do not block writers (as with locking)
 - writers do not block readers (as with locking)
 - writers block writers only if they update the same row
 - performance similar to read committed
 - no dirty, non-repeatable, or phantom reads
- **Disadvantages:**
 - system must write and hold old versions of modified data (only data modified between start and end of read-only transaction)
 - does **not guarantee serializability** for read/write transactions
- **Implementation example:** Oracle 9i
 - no overhead: leverages before-image in rollback segment
 - expiration time of before-images configurable, “snapshot too old” failure if this value is too small

Serializable Snapshot Isolation – Workaround and Solution


- **Workarounds** to get true serializability with snapshot isolation:
 - create additional data item that is updated by conflicting transactions (e.g., maintain sum of *A* and *B* in our skew write example)
 - use exclusive locks for dangerous reads (e.g., use exclusive lock for reading *A* and *B* in our skew write example)
- **Problem:** requires static analysis of all involved transactions
- **Solution:** serializable snapshot isolation²
 - conflicts are detected by the system
 - conflicting transactions are aborted
 - leads to more aborts, but keeps other advantages of snapshot isolation
- **PostgreSQL** (starting with version 9.1)
 - REPEATABLE READ is snapshot isolation
 - SERIALIZABLE is serializable snapshot isolation

²Michael J. Cahill, Uwe Röhm, Alan David Fekete: Serializable isolation for snapshot databases. SIGMOD Conference 2008: 729-738

Snapshot Isolation – Summary


- Considerable **performance advantages** since reads are never blocked and do not block other transactions.
- **Not fully serializable**, although no dirty, non-repeatable, or phantom reads.
- **Serializable snapshot isolation**: fully serializable at the cost of more aborted transactions.

Experiment: Read Commit vs. Serializable



- Summation query with concurrent transfers between bank accounts.
- Oracle snapshot isolation: read-only summation query is not disturbed by concurrent transfer queries
- Summation (read-only) queries always give exact answer.

Experiment: Read Commit vs. Serializable



- Both “read commit” and “serializable” use snapshot isolation.
- “Serializable” rolls back transactions in case of write conflict.
- Summation queries always give exact answer.

Outline

- 1 **Concurrency Tuning**
 - Introduction to Transactions
 - Lock Tuning
 - Weaken Isolation Guarantees
 - **Transaction Chopping**

Chopping Long Transactions

- Shorter transactions
 - request less locks (thus they are less likely to be blocked or block an other transaction)
 - require other transactions to wait less for a lock
 - are better for logging
- Transaction chopping:
 - split long transactions into short ones
 - don't scarify correctness

Terminology

- **Transaction**: sequence of disc accesses (read/write)
- **Piece** of transaction: consecutive subsequence of database access.
 - example transaction $T : R(A), R(B), W(A)$
 - $R(A)$ and $R(A), R(B)$ are pieces of T
 - $R(A), W(A)$ is not a piece of T (not consecutive)
- **Chopping**: partitioning transaction it into pieces.
 - example transaction $T : R(A), R(B), W(A)$
 - $T_1 : R(A), R(B)$ and $T_2 : W(A)$ is a chopping of T

Split Long Transactions – Example 1

- **Bank** with accounts and branches:
 - each account is assigned to exactly one branch
 - branch balance is sum of accounts in that branch
 - customers can take out cash during day
- **Transactions** over night:
 - **update transaction**: reflect daily withdrawals in database
 - **balance checks**: customers ask for account balance (read-only)
- **Update transaction** T_{blob}
 - updates all account balances to reflect daily withdrawals
 - updates the respective branch balances
- **Problem**: balance checks are blocked by T_{blob} and take too long

Split Long Transactions – Example 1

- **Solution:** split update transactions T_{blob} into many small transactions
- **Variant 1:** each account update is one transaction which
 - updates one account
 - updates the respective branch balance
- **Variant 2:** each account update consists of two transactions
 - T_1 : update account
 - T_2 : update branch balance
- **Note:** isolation does not imply consistency
 - both variants maintain serializability (isolation)
 - variant 2: consistency (sum of accounts equal branch balance) compromised if only one of T_1 or T_2 commits.

Split Long Transactions – Example 2

- Bank scenario as in Example 1.
- Transactions:
 - **update transaction:** each transaction updates one account and the respective branch balance (variant 1 in Example 1)
 - **balance checks:** customers ask for account balance (read-only)
 - **consistency (T'):** compute account sum for each branch and compare to branch balance
- **Splitting:** T' can be split into transactions for each individual branch
- **Serializability** maintained:
 - consistency checks on different branches share no data item
 - updates leave database in consistent state for T'
- **Note:** update transaction can not be further split (variant 2)!
- **Lessons learned:**
 - sometimes transactions can be split without sacrificing serializability
 - adding new transaction to setting may invalidate all previous chopping

Formal Chopping Approach

- **Assumptions:** when can the chopping be applied?
- **Execution rules:** how must chopped transactions be executed?
- **Chopping graph:** which chopping is correct?

Assumptions for Transaction Chopping

1. **Transactions:** All transactions that run in an interval are known.
2. **Rollbacks:** It is known where in the transaction rollbacks are called.
3. **Failure:** In case of failure it is possible to determine which transactions completed and which did not.
4. **Variables:** The transaction code that modifies a program variable x must be reentrant, i.e., if the transaction aborts due to a concurrency conflict and then executes properly, x is left in a consistent state.

Execution Rules

1. **Execution order:** The execution of pieces obeys the order given by the transaction.
2. **Lock conflict:** If a piece is aborted due to a lock conflict, then it will be resubmitted until it commits.
3. **Rollback:** If a piece is aborted due to a rollback, then no other piece for that transaction will be executed.

The Transaction Chopping Problem

- **Given:** Set $A = \{T_1, T_2, \dots, T_n\}$ of (possibly) concurrent transactions.
- **Goal:** Find a chopping B of the transactions in A such that any serializable execution of the transactions in B (following the execution rules) is equivalent to some serial execution of the transactions in A . Such a chopping is said to be **correct**.
- **Note:** The “serializable” execution of B may be concurrent, following a protocol for serializability.

Chopping Graph

- We represent a specific chopping of transactions as a graph.
- **Chopping graph**: undirected graph with two types of edges.
 - nodes: each piece in the chopping is a node
 - C-edges: edge between any two conflicting pieces
 - S-edges: edge between any two sibling pieces
- **Conflicting pieces**: two pieces p and p' conflict iff
 - p and p' are pieces of different original transactions
 - both p and p' access a data item x and at least one modifies it
- **Sibling pieces**: two pieces p and p' are siblings iff
 - p and p' are neighboring pieces of the same original transactions

Chopping Graph – Example

- **Notation:** chopping of possibly concurrent transactions.
 - original transactions are denoted as T_1, T_2, \dots
 - chopping T_i results in pieces T_{i1}, T_{i2}, \dots
- **Example transactions:** ($T_1 : R(x), R(y), W(y)$ is split into T_{11}, T_{12})
 - $T_{11} : R(x)$
 - $T_{12} : R(y), W(y)$
 - $T_2 : R(x), W(x)$
 - $T_3 : R(y), W(y)$
- **Conflict edge** between nodes
 - T_{11} and T_2 (conflict on x)
 - T_{12} and T_3 (conflict on y)
- **Sibling edge** between nodes
 - T_{11} and T_{12} (same original transaction T_1)

Rollback Safe

- **Motivation:** Transaction T is chopped into T_1 and T_2 .
 - T_1 executes and commits
 - T_2 contains a rollback statement and rolls back
 - T_1 is already committed and will not roll back
 - in original transaction T rollback would also undo effect of piece T_1 !
- A chopping of transaction T is **rollback safe** if
 - T has no rollback statements or
 - all rollback statements are in the first piece of the chopping

Correct Chopping

Theorem (Correct Chopping)

A chopping is correct if it is rollback save and its chopping graph contains no SC-cycles.

- Chopping of previous example is correct (no SC-cycles, no rollbacks)
- If a chopping is not correct, then any further chopping of any of the transactions will not render it correct.
- If two pieces of transaction T are in an SC-cycle as a result of chopping T , then they will be in a cycle even if no other transactions (different from T) are chopped.

Private Chopping

- **Private chopping:** Given transactions T_1, T_2, \dots, T_n .
 $T_{i1}, T_{i2}, \dots, T_{ik}$ is a private chopping of T_i if
 - there is no SC-cycle in the graph with the nodes $\{T_1, \dots, T_{i1}, \dots, T_{ik}, \dots, T_n\}$
 - T_i is rollback save
- **Private chopping rule:** The chopping that consists of $private(T_1), private(T_2), \dots, private(T_n)$ is correct.
- **Implication:**
 - each transaction T_i can be chopped in isolation, resulting in $private(T_i)$
 - overall chopping is union of private choppings

Chopping Algorithm

1. Draw an S-edge between the R/W operations of a single transaction.
2. For each data item x produce a write list, i.e., a list of transactions that write this data item.
3. For each $R(x)$ or $W(x)$ in all transactions:
 - (a) look up the conflicting transactions in the write list of x
 - (b) draw a C-edge to the respective conflicting operations
4. Remove all S-edges that are involved in an SC-cycle.

Chopping Algorithm – Example

- Transactions: ($R_x = R(x)$, $W_x = W(x)$)
 - $T_1 : R_x, W_x, R_y, W_y$
 - $T_2 : R_x, W_x$
 - $T_3 : R_y, R_z, W_y$
- Write lists: $x: T_1, T_2$; $y: T_1, T_3$; $z: \emptyset$
- C-edges:
 - $T_1: R_x - T_2.W_x, W_x - T_2.W_x, R_y - T_3.W_y, W_y - T_3.W_y$
 - $T_2: R_x - T_1.W_x$ ($W_x - T_1.W_x$: see T_1)
 - $T_3: R_y - T_1.W_y$ ($W_y - T_1.W_y$: see T_1)
- Remove S-edges: $T_1: R_x - W_x, R_y - W_y$; $T_2: R_x - W_x$;
 $T_3: R_y - R_z, R_z - W_y$
- Final chopping:
 - $T_{11} : R_x, W_x$; $T_{12} : R_y, W_y$
 - $T_2 : R_x, W_x$
 - $T_3 : R_y, R_z, W_y$

Reordering Transactions

- **Commutative operations:**
 - changing the order does not change the semantics of the program
 - example: $R(y), R(z), W(y \leftarrow y + z)$ and $R(z), R(y), W(y \leftarrow y + z)$ do the same thing
- **Transaction chopping:**
 - changing the order of commutative operations may lead to better chopping
 - responsibility of the programmer to verify that operations are commutative!
- **Example:** consider $T_3 : Ry, Rz, Wy$ of the previous example
 - assume T_3 computes $y + z$ and stores the sum in y
 - then Ry and Rz are commutative and can be swapped
 - $T'_3 : Rz, Ry, Wy$ can be chopped: $T'_{31} : Rz, T'_{32} : Ry, Wy$