


Last name:

Exercise 1

1 Point

Mark the following statements as true (**T**) or false (**F**) with respect to the given ER-diagram.



- (1) There are mountain ranges without peaks.
- (2) Every person has to climb a peak.
- (3) Each peak is either a main peak, a secondary peak, or a plateau.
- (4) Every peak has a date of first climb.
- (5) Each secondary peak has an elevation.

☐☐☐☐☐

Exercise 21 Point


Draw an **ER-diagram** which satisfies the following requirements:

- (1) A musician has a name and a unique ID.
- (2) A musician can have several instruments.
- (3) An instrument belongs to only one musician.
- (4) An instrument has a brand.
- (5) An instrument can either be a microphone, a bass, a guitar, or a drum set.
- (6) A microphone has a polar pattern, and a bass and a guitar have a pickup.
- (7) A band has a name and a genre.
- (8) A musician can play in several bands.
- (9) Several musicians can play in a band.

Exercise 3

1 Point

Translate the following ER-diagram into a **relational schema** and state all **foreign key constraints** using projection and subset operations.



Relational Schema (0.6 Punkte)

Foreign Key Constraints (0.4 Punkte)

Schema for the following exercises

Relational schema

Listener(user_name, country, plan)**Album**(album_name, artist_name, release_year)**Title**(album_name, title_name, duration_sec)**Playlist**(playlist_id, creator_name, playlist_name, visibility)**PlaylistTitle**(playlist_id, album_name, title_name, position)**CountryStats**(album_name, title_name, country, streams, skip_count)

Foreign key constraints

 $\pi_{\text{creator_name}}(\text{Playlist}) \subseteq \pi_{\text{user_name}}(\text{Listener})$ $\pi_{\text{album_name}}(\text{Title}) \subseteq \pi_{\text{album_name}}(\text{Album})$ $\pi_{\text{playlist_id}}(\text{PlaylistTitle}) \subseteq \pi_{\text{playlist_id}}(\text{Playlist})$ $\pi_{\text{album_name}, \text{title_name}}(\text{PlaylistTitle}) \subseteq \pi_{\text{album_name}, \text{title_name}}(\text{Title})$ $\pi_{\text{album_name}, \text{title_name}}(\text{CountryStats}) \subseteq \pi_{\text{album_name}, \text{title_name}}(\text{Title})$

Instance for the following exercises

Listener (L)

user_name	country	plan
anna	AT	premium
bernd	DE	free
caesar	US	premium
david	DE	free
eva	SE	free

Album (A)

album_name	artist_name	release_year
Ambition	DiaoYeZong	2014
Turaida	Shikata Akiko	2013
Under the Crossroads	Yellow Squadron	2016

Title (T)

album_name	title_name	duration_sec
Ambition	Unprivileged Access	340
Ambition	Hokus Pokus	330
Ambition	Sundering of the Mortal Veil	340
Turaida	Buonanotte	210
Turaida	Ec Tisia	530
Turaida	Alvorna	300
Under the Crossroads	Into the Zuiun	220
Under the Crossroads	Blaze Heart	290

Playlist (P)

playlist_id	creator_name	playlist_name	visibility
1	anna	Road Mix	public
2	anna	Study Mode	private
3	bernd	Party Queue	public
4	caesar	Soft Hours	public
5	david	Local Picks	private

PlaylistTitle (PT)

playlist_id	album_name	title_name	position
1	Ambition	Unprivileged Access	1
1	Ambition	Hokus Pokus	2
1	Under the Crossroads	Into the Zuiun	3
2	Turaida	Ec Tisia	1
2	Turaida	Buonanotte	2
3	Ambition	Sundering of the Mortal Veil	1
3	Turaida	Alvorna	2
3	Under the Crossroads	Blaze Heart	3
4	Turaida	Buonanotte	1
4	Turaida	Ec Tisia	2
5	Under the Crossroads	Into the Zuiun	1

CountryStats (CS)

album_name	title_name	country	streams	skip_count
Ambition	Unprivileged Access	AT	6200	450
Ambition	Unprivileged Access	US	7600	NULL
Ambition	Hokus Pokus	AT	10200	810
Ambition	Hokus Pokus	DE	8900	NULL
Ambition	Sundering of the Mortal Veil	DE	4100	380
Turaida	Buonanotte	US	2300	95
Turaida	Ec Tisia	AT	1900	NULL
Turaida	Ec Tisia	JP	3300	210
Turaida	Alvorna	SE	3000	NULL
Under the Crossroads	Into the Zuiun	AT	5400	410
Under the Crossroads	Into the Zuiun	DE	5100	390

Exercise 4

1 Point

Query 1:Formulate the following query using **extended relational algebra**: **(0.5P)**List all playlists (**playlist_id**) that contain titles from at least two different albums.**Query 2:**
$$\gamma_{\text{album_name, title_name, release_year}} \left(\sigma_{\text{album_name} = \text{'Under the Crossroads'}} (\text{CountryStats}) \bowtie \text{Album} \right)$$
$$\text{sum}(\text{streams}) / (2026 - \text{release_year})$$
Describe the result of the query in natural language (in 1-2 sentences). **(0.3P)**Provide the output of the result with respect to the example instance. **(0.2P)**

Exercise 51 Point

Formulate the following queries using **SQL** for the schema on page 5.

1. List all distinct titles (**title_name** and **album_name**) of playlists at position (**position**) 1 of all premium users (**plan**). **(0.5P)**

2. For every playlist (**playlist_id**), give the total duration (**duration_sec**) of the playlist in **minutes** (not seconds). Playlists without titles may be omitted. **(0.5P)**

Exercise 61 Point

Answer the following task using **SQL**.

List all titles (**title_name** and **album_name**) for which Austria (**country**) has strictly more streams (**streams**) than every other country.

Exercise 7

1 Point

Consider the relations $R[A, B]$ and $S[C, D]$. No attribute contains null values; the result of a subquery may be empty. Rewrite the following queries without using **exists** or **not exists**. Instead, use either **in**, **some**, **any**, or **all**. Your queries should be equivalent to the given queries.

```
(1) select R.A
     from R
     where exists (select 1
                  from S
                  where R.B >= S.C and S.D > 42)
```

```
(2) select R.A
     from R
     where not exists (select 1
                      from S
                      where R.B = S.C and S.D = 42)
```

Exercise 81 Point

Consider relation $R[A, B, C, D, E, F]$ with the following functional dependencies:

$$F = \{D \rightarrow CDE, \\ E \rightarrow D, \\ CEF \rightarrow EF, \\ E \rightarrow ACDF, \\ DF \rightarrow ACE\}$$

Find and list all candidate keys of R . **Explain your answer.**

Exercise 9

1 Point

Consider relation $R[A, B, C, D]$ (already in first normal form – 1NF) with the following functional dependencies:

$$F = \{B \rightarrow D, \\ AD \rightarrow C, \\ AC \rightarrow D, \\ CD \rightarrow B\}$$

Compute the restrictions F_1 and F_2 of F to the decomposition $R_1[BD]$ and $R_2[ABC]$. Either prove or disprove that this restriction is dependency preserving. Explain your answer.